

Service Information

PDD Contact : Cody M. Surwic	Test or Evaluation : Test	Report Number : 58681
Received Date : 7/29/2015	Processed Date : 8/5/2015	Ground

Customer Information

Acct # : 174947295
 Carolina Chairs and Table
 7900 Industrial Village Road
 Greensboro, NC 27409 USA

Contact: Heather Rush

Phone: 3362970134

FedEx Location Information

Express Station ID: GSXA

Ground Terminal Id: GRNL

Sales Professional : Phillip W. Bohn

Phone Number : 336-813-1148

Field Engineer: Ronald Harold

Phone Number : 540-661-8358

Product Information

Commodity Code : 20	UN No :	Model Number: 3422	Pcs. Per Pkg:
Values : 99	Product Description: FLIP TOP CORK BOARD DESK -		

Packaging Information

Size : L(in): 37.75 **W (in):** 28.25 **H(in):** 9.5 **Wt (lb):** 50.6 **Outer Container Type:** Corrugated

Container Specs: BC- Doublewall N/A N/A

Other Outer Info: Five panel folder box style

Inner Packaging I: Microfoam **Inner Packaging II:** EPS sheet/panel **Sealing Method:** 3" PST
 Sheeting

Other Inner Info: EPS sheets/panels, microfoam

Test Procedures Completed

Test Type : Domestic - FedEx	
Drop Height (in) : 30 inches	Drop Sequence : One Set Free - Fall
Drop Results: No Visible Damage	
Compression Factor: 5	Compression Load (lbf) : 3677
Compression Results: Meets Minimum Specifications	
Vibration Profile: Domestic FedEx	Vibration Duration: 60 Minutes Rotary
Vibration Results: No Visible Damage	
Impact Sequence:	Impact Velocity (ft/s):
Impact Results:	
Other Applicable Tests:	Results:

Test Results

Result:	Passed	8/5/2015
----------------	--------	----------

Definitions of Results

Passed:	A package, with article, that has passed all the Fedex Standard Testing Procedures. For commodities restricted under Liabilities Not Assumed in the Fedex Service Guide, Service Guide Terms and Conditions will take precedence.
Failed:	A package, with article, that has failed all FedEx Standard Testing Procedures.
Pending:	A package, with article, that has been tested to all FedEx Standard Test Procedures. Confirmation of results is subject to customer inspection.



Comments and Packaging Recommendations*


Production Packaging, FedEx Package Testing Procedures for shipment under 150 lbs., or ISTA 6-FedEx-A, were followed for this test.

No visible damage after testing.

Peak compression force was 3693 lbs. with a deflection @ peak of 0.27", thereby meeting 100% of the target (3676 lbs.).

Photos / Drawings (if Applicable)





* Our provision of advice, assistance or guidance on the appropriate packaging of shipment does not constitute acceptance of liability, unless such advice, assistance or guidance is in writing from the FedEx Packaging Design and Development department and expressly accepts liability in the event of a damaged shipment.

FedEx Packaging Design and Development 789 Progress Rd, Collierville, TN 38017
Toll Free 800.633.7019 option 5 Fax : 901.492.7278